

# An Intercomparison of North American LDAS Soil Moisture Fields



John Schaake<sup>5</sup>, Qingyun Duan<sup>5</sup>, Kenneth Mitchell<sup>2</sup>, Paul R. Houser<sup>3</sup>, Eric F. Wood<sup>4</sup>, Dennis Lettenmaier<sup>6</sup>, Alan Robock<sup>1</sup>, Brian Cosgrove<sup>3</sup>, Dag Lohmann<sup>2</sup>, Lifeng Luo<sup>1</sup>, Justin Sheffield<sup>4</sup>, Wayne Higgins<sup>7</sup>, Rachel Pinker<sup>8</sup>, and Dan Tarpley<sup>9</sup>

<sup>1</sup>Department of Environmental Sciences, Rutgers University

<sup>2</sup>NOAA/NWS/NCEP/EMC

<sup>3</sup>Hydrological Sciences Branch, NASA/GSFC

<sup>4</sup>Department of Civil Engineering, Princeton University


5NOAA/NWS/OHD

<sup>6</sup>Department of Civil and Environmental Engineering, University of Washington

<sup>7</sup>NOAA/NWS/NCEP/CPC

<sup>8</sup>Department of Meteorology, University of Maryland

9NOAA/NESDIS/ORA







### Questions

How similar are soil moisture fields from different LDAS LSMs?

Can the soil moisture field from one LSM be used to initialize another LSM?

How long should the model spin-up period be ?







### **Strategy**

- Investigate the space-time correlation between soil moisture fields from different LDAS LSMs:
  - Mean statistical properties
  - Spatial statistical properties
  - Statistical properties of temporal changes

Investigate if and how the soil moisture field from one LSM can represent that of another LSM using statistical methods







### Data


- Snapshots of soil moisture fields from different days are assembled:
  - Beginning October 1, 1996
  - Ending September 30, 1999
  - 1st and 15<sup>th</sup> day of month
  - Entire LDAS domain available for analysis






## Maximum Soil Water Capacity

















### Minimum Soil Water Content

















### Maximum Soil Water Content

















## Maximum Range of Soil Water Content















## Location of LSASW Study Area
































## LSASW Average Soil Water Content

















## LSASW Standard Deviation of Soil Water Content

















## LSASW Range of Soil Water Content















## LSASW Range Difference with SAC




**SAC - NOAH** 

**SAC - Mosaic** 





#### SAC - VIC








## LSASW Range Difference with NOAH




**SAC - NOAH** 


NOAH - Mosaic


-100 -200 -300 -400





#### **NOAH - VIC**









## LSASW Range Difference with Mosaic



**SAC - Mosaic** 


**NOAH - Mosaic** 





#### Mosaic - VIC











## LSASW Range Difference with VIC



SAC - VIC


**NOAH - VIC** 





#### Mosaic - VIC











### LSASW Correlation with SAC



#### **NOAH**





#### Mosaic



#### **VIC**











### **LSASW Correlation with NOAH**




SAC

Mosaic





#### VIC









### LSASW Correlation with Mosaic




SAC

NOAH





#### **VIC**









## LSASW Correlation with VIC




SAC

NOAH





#### **Mosaic**








### Fraction of Total Variance Accounted for by 1<sup>st</sup> Principal Component













## Maximum/Minimum Joint Correlation Coefficient
















### **Conclusions**

- Some "useful" correlation between model values of total soil water content, but clearly different models behave differently
- Sacramento model is most different from the other models
- Model spin-up strongest for first 6-months, but lasts for about 1-year
- GRACE satellite mission to measure largescale total water storage changes should help discriminate between models at continental scale





### Thank you!


















### **Background**

- Four LSMs running in LDAS:
  - NOAH, MOSAIC, VIC and SAC
- Forced by the same real-time data
- Each LSM was initialized on October 1, 1996 from similar initial conditions

